



Cooper Controls, Inc.

Telephone: (209) 339-4571

Fax: (209) 339-0105

customercare@coopercontrols.com

PARTS LIST

Find the part(s) your looking for and click on the link to fill in the parts request form!

Part #

Alarms

Son alert Audible 120 VAC
Beacon Steady Red

SC110NR
O84413 / XVBL34

Anemometers

Custom PLC-based package with touch screen and data logging software tailored to your specifications, with remote monitoring capabilities.

[Call For Quote](#)

WindWorks Kit, 150' Complete Windworks Kit with Wind Sensor, E-Vane, 150' cables, Windworks Interface Board, USB cable, and Windworks Software

WWKS150

The Wind Data Logger is designed to provide an affordable and easy-to-use solution to wind site evaluation and monitoring wind generator performance. It records wind speed, gust, and direction, time and date, temperature, battery voltage, and other important wind parameters

[Call For Quote](#)

Buffer

PH 7.00 @ 25 Degree C
PH 4.00 @ 25 Degree C
PH 10.00 25 Degree C
Distilled Water 1 gallon
White Vinegar 1 gallon

3007
3004
3010
n/a
n/a

Cal Gas

Hexane 40% LEL in Nitrogen
Oxygen Zero Air

17L262-44
17L-1

Charts and Pens

Plotter Paper
4200 Series Flow Meter
ISCO 4200 Series Flowmeter
Plotter Ribbon

60-2313-019
N/A

Honeywell Circular Chart Recorder Model DR 4300 24hr 0-100%

24001660-001

Honeywell Circular Chart Recorder Model DR 4300 7 Day 0-100%

24001661-001

Honeywell Circular Chart Recorder Model DR 4300 Split Range 24 hr 0-100% & 0-14pH

24001660-621

Honeywell Circular Chart Recorder Model DR 4300 Split Range 7 Day 0-100% & 0-14pH

24001661-214

Honeywell Truline Circular Chart Recorder Model DR 4500 Truline – Classic 24hr 0-100%

30755317 -- Truline Honeywell Recorder uses a Blank – Thermal Chart #30755317

Honeywell Truline Circular Chart Recorder Model DR 4500 Truline – Classic 7 Day 0-100%

30755317 -- Truline Honeywell Recorder uses a Blank – Thermal Chart #30755317

Honeywell Truline Circular Chart Recorder Model DR 4500 Truline – Classic 24 hr 0-100% & 0-14pH

30755317 -- Truline Honeywell Recorder

	uses a Blank – Thermal Chart #30755317
Honeywell Truline Circular Chart Recorder Model DR 4500 Truline – Classic 7 Day 0-100% & 0-14pH	c -- Truline Honeywell Recorder uses a Blank – Thermal Chart #30755317
Honeywell Truline (Thermal) Circular Chart Recorder Model DR 4500 Truline Thermo Chart	30755317 -- Truline Honeywell Recorder uses a Blank – Thermal Chart #30755317
Honeywell Thermal Stylus Pen#: 30756304-501 / 502	30756304-501
Honeywell Circular Chart Pens Nib length .140 Blue, Red, Grn, Blk, Pur 010-06	Blue – 39-0103-06 Red – 39-0102-06 Green – 39-0104-06 Black – 39-0101-06 Purple – 39-0106-06
Honeywell Circular Chart Pens Nib length .370 Blue, Red, Grn, Blk, Pur 020-06	Blue – 39-0203-06 Red – 39-0202-06 Green – 39-0204-06 Black – 39-0201-06 Purple – 39-0206-06
Honeywell Circular Chart Pens Nib length .640 Blue, Red, Grn, Blk, Pur 030-06	Blue – 39-0303-06 Red -- 39-0302-06 Green – 39-0304-06 Black – 39-0301-06 Purple – 39-0306-06
Honeywell Circular Chart Pens Nib length .830 Blue, Red, Grn, Blk, Pur 040-06	Blue – 39-0403-06 Red – 39-0402-06 Green – 39-0404-06 Black – 39-0401-06 Purple – 39-0406-06
Foxboro Recorder Charts: 12" Circular, 7-Day, 0-14 pH	899914
Eurotherm recorder charts	Custom Order
Eurotherm Recorder Pens	Blue -- LA203291 Red -- LA203292
<u>NOTE: Additional charts and pens are available</u>	
<u>Control Panel Conditioning</u>	
Brushless AC Cooling Fan – 4"	273-241C
Brushless AC Cooling Fan – 3"	273-242
Din rail mount temperature switch Cool	264724
Temp. Switch Din rail mount temperature switch Heat	294195
<u>Desiccant</u>	
2 oz packages	6850-00-264-6573
4 oz packages	6850-00-264-6574
8 oz packages	6850-00-264-6571
Bulk Granular Desiccant 3.0mm-5.0mm, 3x6 mesh	SIL64410-5
<u>Electrical</u>	
T&B ½' non-metallic flex Grey, 100' roll	LTC-050
T&B ¾' non-metallic flex Grey, 100' roll	LTC-075
T&B ½" non-metallic flex fittings	LT75P
T&B ¾" non-metallic flex fittings	LT100P
T&B .125- 275 non- metallic strain reliefs	2690
T&B. 250-400 non- metallic strain reliefs	2672
<u>Float Switches</u>	
Mac 3 Float Switch 1 mm Cable	MAC3/PVC/1mts
Mac 3 Float Switch 5 mm Cable	MAC3/PVC/5mts
Mac 3 Float Switch 10mm Cable	MAC3/PVC/10mts

Mac 3 Float Switch 15mm Cable	MAC3/PVC/15mts
Mac 3 Float Switch 20mm Cable	MAC3/PVC/20mts
Counter weights, please order 2 per float	Counter weight
Float Bracket	Call For Quote
<u>Liquid level Controls</u>	
ABB, Drain Operation, dual probe unit, 120 VAC adjustable Sensitivity	LLC54AA
ABB Fill Operation , dual probe unit, 120 VAC adjustable Sensitivity	LLC54BA
IDEC 8 pen relay base	SR2P-05
Level sensing probes custom lengths	Call For Quote
<u>Loop Isolators</u>	
Optical isolator , Input 4/20MA, Output 4/20 MA	DIN-4000-13
Dual output 4-20 MA in and 4-20 MA x 2 out	PTA- 4005
<u>Lubricant</u>	
Lubricants Sealant 111 Compound (Silicone) Net wt 15 oz	77472-13078
<u>Misc</u>	
Bleach 96 oz	N/A
<u>pH probes and rebuild kits</u>	
1" differential pH Analog Sensor	PD1P1
1-1/2" differential pH Analog Sensor	6028PO
Tip Protector for 6028PO	60A2F1278
Salt Bridge rebuild kit 6028PO	60-9765-000-001
Salt Bridge rebuild kit PD1P1	SB-P1SV
7.00 pH standard cell solution	25MIA1001-115
Foxboro smart pH probe with pre-amp	871PH-3A1A
Reference kit for Foxboro pH Probe	0022703
Flat glass electrode for Foxboro pH Probe	BS805MD
Spherical glass electrode kit ryton body Foxboro pH probe	022505
Rosemount pH sensor PERpH-X-Insertion/Submersion	3500up-HT-01-10-21-30
<u>Power Supplies</u>	
24v Power Supply, 15w	PCS-24-015
24v Power Supply, 60w	PCS-24-060
<u>Relays</u>	
ABB 12-230 VAC	TRDV Series
ABB 19-30VDC 19-264VAC	TRV Series
IDEC 120 VAC 4 pole, 8-pen w/indicator light	RR series
IDEC 24 VDC 4 pole, 8-pen w/indicator light	RR series
IDEC 8 pen relay base	SR2P-05
<u>Safety Equipment</u>	
Hard Hat Hard Hat, Non Slotted, Full Brim, Color White, Ratchet Suspension,	4LN96
Safety Glasses, Clear 100% UV protection	3PA44
Aprons, chemical resistance 38"x 48" Grn	92780
Face Shields, Monogoggle XTR shield	3010343
Sterling Nitrile Powder-Free Exam XL	REF #55089
Germx Hand Sanitizer, original w/vitamin E 40 oz	152
Ear Plugs Low Pressure Foam 30 Decibels	5FV09

<u>Surge Protection</u>	
APC Smart UPS 750, pure sine wave	Smart-UPS 750 VA LCD 120V
APC Smart UPS 1000, pure sine wave	Smart-UPS 1000VA LCD 120V
APC Smart UPS 1500, pure sine wave	Smart-UPS 1500VA LCD 120V
6 Outlet, 6' Power Cord Surge Protector	P6BMP4
<u>Terminal and Fuse Blocks</u>	
Black 24-12 AWG, 20A 600V 100/pk	DN-T12BLK-A
Blue 24-12 AWG, 20A 600V 100/pk	DN-T12B-A
Red 24-12 AWG, 20A 600V 100/pk	DN-T12RED-A
White 24-12 AWG, 20A 600V 100/pk	DN-T12WA
End Cover for 24-12 AWG Terminal Block 100/pk	DN-EC1210
End Bracket 50/pk	DN-EB35
Jumper Bar – 24 Poles, Yellow 100/pk	DN-24J2Y
Jumper Bar – 3 Poles, Yellow 100/pk	DN-3J2Y
Allen Bradley Fused terminal block 10-57V AC/DC 15A	1492-H5
Allen Bradley Fused terminal block 100 to 300 VAC 15A	1492-H4
Allen Bradley End barrier for 1492 series terminal block	1492-N37
ABB Din rail – steel -2 meter stick	0173220.05
ABB Din Rail – aluminum -2 meter stick	XUS001736
<u>Tubing</u>	
Clear Vinyl Tubing 1/8" ID x 1/4" O.D. x 1/16" Wall	33-000-2002
Clear Vinyl Tubing 3/8" ID x 1/2" O.D. x 1/16" Wall	33-000-6002
Clear Vinyl Tubing 3/8" ID x 5/8" O.D. x 1/8" Wall	33-000-6004
Silicon Pump Tubing 3/8" ID x 5/8" O.D. x 1/8" Wall	33-1318602
Nycoil 1/4" polyethylene tubing Black	62441
Nycoil 3/8" polyethylene tubing Black	62661
ISCO 6700 & 4700 sampler pump tubing 5 PAK	68-67000-62
<u>Waste Water Sampler Parts</u>	
Sigma 900 Max pump roller assembly	1083
Sigma 900 Max motor assy	n/a
Sigma SD900 pump roller assy	n/a
Sigma SD 900 motor assy	n/a
ISCO 3700 rotor Assembly	60-2704-019
ISCO 3700 (motor) gear case assembly	60-3702-154
ISCO 6700 rotor Assembly	60-9004-009
ISCO 6700 (motor) gear case assembly	60-9004-301